

# INDEX MAPS.

## T. 10 N., R. 12 E. 2<sup>nd</sup> Mer.


	474-476	474-476	474-476	474-475	474-475	475						
479	6	500	5	496	4	494	3	493	2	492	1	473
	499	499	496	494	493	491	492					
478	7	499	8	495	9	494	10		11	491	12	473
	498	498	495	493-487	490	490						
478	18	497	17	495	16	489	15	487	14	486	13	472
	497	497	490	489	488	486	485					
477	19	20	489	21	488	22	486	23	485	24	472	
	484	484	485-489	485-488	485-486	485						
477	30	484	29	482	28	481	27	480	26	480	25	472
	483	483	482	481	480	479						
476	31	483	32	482	33	481	34	480	35	479	36	471
	469-471	469-471	469-471	469-470	469-470	469-470	470					

**T.**

**R.**

**Mer.**

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.



T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>u</sup>  
 Chas. G. 1871

80.00 set temp. post for sec. 35 & 36  
 Land level. Timber Oak, Beech, Hickory, Gum &c.

East on S. Boundary of Sec. 36

5.10 a Watercourse 100 yds. wide runs NE

40.00 set temp. gr. sec. post

55.22 fell 359 yds. North of corner.

Land level. Timber Oak, Hickory, Poplar,  
 Upr. Hazel, Dogwood, Sassafras &c.

### Corrected Line.

West on the S. Boundary of Sec. 36

15.20 a B. Oak 18 in. dia.

40.00 set gr. sec. post from which

a W. Oak 18 in. dia. bears S 43 E 35 yds. dist. &

a B. Oak 20 " " " S 75 W 34 " "

55.40 a Beech 22 " "

80.00 set post cor. of sec. 35 & 36 from which

a B. Gum 10 in. dia. bears N 15 E 15 yds. dist. &

a W. Oak 30 " " " S 57 W 14 " "

West on the S. Boundary of Sec. 35

40.00 set gr. sec. post from which

a B. Gum 18 in. dia. bears N 12 E 26 yds. dist. &

a Beech 8 " " " S 51 W 23 " "

55.20 a Beech 11 " "

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 36 in. dia. bears N 81 E 11 yds. dist. &

a Poplar 24 " " " S 49 W 17 " "

West on the S. Boundary of Sec. 34

0.65 a W. Oak 24 in. dia.

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears N 29 E 24 yds. dist. &

a Do 10 " " " S 31 W 30 " "

42.20 a W. Oak 24 " "

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.  
Ch. 10<sup>th</sup>

80.00 set post cor. of sec. 33 & 34 from which  
a B. Gum 10 in. dia. bears S 86 $\frac{1}{2}$  E 24 lks. dint. 2  
a W. Oak 18 " " " S 39 $\frac{1}{2}$  W 7 " "

West on the S. Boundary of Sec. 33

40.00 set gr. sec. post from which  
a Beech 14 in. dia. bears N 77 E 4 lks. dint. 2  
a B. Gum 10 " " " S 27 $\frac{1}{2}$  W 26 " "

54.59 a Beech 16 " "

80.00 set post cor. of sec. 32 & 33 from which  
a Beech 18 in. dia. bears S 56 E 43 lks. dint. 2  
a W. Oak 14 " " " S 76 $\frac{1}{2}$  W 36 " "

West on the S. Boundary of Sec. 32

40.00 set gr. sec. post from which  
a Beech 12 in. dia. bears N 68 $\frac{1}{2}$  W 22 lks. dint. 2  
a W. Oak 42 " " " S 49 E 16 " "

56.00 a Beech 12 " "

80.00 set post cor. of sec. 31 & 32 from which  
a W. Oak 20 in. dia. bears N 67 $\frac{1}{2}$  W 15 lks. dint. 2  
a Poplar 14 " " " S 57 E 44 " "

West on the S. Boundary of Sec. 31

35.00 a Hickory 10 in. dia.

40.00 set gr. sec. post from which  
a Beech 13 in. dia. bears N 9 E 3 lks. dint. 2  
a Hickory 18 " " " S 37 W 29 " "

55.92 struck the corner. January 23. 1807

East Boundary. Var. 5.00 E.

North on the E. Boundary of Sec. 36

16.10 a B. Oak 30 in. dia.

40.00 set gr. sec. post from which  
a W. Oak 26 in. dia. bears N 76 E 16 lks. dint. 2  
a Do 30 " " " S 45 $\frac{1}{2}$  W 24 " "

54.62 a W. Oak 32 " "



T. 10 N., R. 12 E., Sec. 25, Mer. Ind.<sup>a</sup>  
 Ch. 1. Pr.

30.00 set post cor. of sec. 25 & 36 from which  
 a Poplar 13 in. dia. bears S 33 E 27 lks. dist. &  
 a W. Oak 16 " " " N 33 W 25 " "  
 Land waving. Timber Oak, Hickory, Poplar,  
 Sugar, Gum &c

North on the E. Boundary of Sec. 25

0.36 a W. Oak 14 in. dia.

8.80 a Brook 15 lks. wide runs E.

22.59 a W. Oak 32 in. dia.

40.00 set of sec. post from which  
 a W. Oak 13 in. dia. bears South 29 lks. dist. &  
 a Beech 11 " " " N 11 W 33 " "

74.03 a W. Oak 16 " "

80.00 set post cor. of sec. 24 & 25 from which  
 a W. Oak 9 in. dia. bears N 5 E 13 lks. dist. &  
 a Do 17 " " " S 35 W 42 " "  
 Land T.<sup>th</sup> half mile broken, rest level.  
 Timber Oak, Hickory, Poplar, Ash, Maple &c

North on the E. Boundary of Sec. 24

17.54 a Poplar 17 in. dia.

24.30 a Watercourse 4 lks. wide runs NE

33.30 a Do 6 " " " N 75 E

38.10 a W. Oak 32 in. dia.

40.00 set of sec. post from which  
 a B. Gum 11 in. dia. bears N 45 E 8 lks. dist. &  
 a W. Oak 12 " " " S 40 W 21 " "

79.50 a Watercourse 6 lks. wide runs E.

80.00 set post cor. of sec. 13 & 24 from which  
 an Elm 22 in. dia. bears N 5 E 20 lks. dist. &  
 a W. Oak 9 " " " S 40 W 18 " "  
 Land broken. Timber Oak, Hickory, Poplar,  
 Gum, Dogwood &c

North on the E. Boundary of Sec. 13

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.?

Ch. Sk.

40.00 set of sec. post from which

a W. Oak 13 in. dia. bears N 70 E 20 Yds. dist. &

a Beech 13 " " " S 51 W 28 " "

50.24 a W. Oak 24 " "

59.00 a Watercourse 4 Yds. wide runs E.

80.00 set post cor. of sec. 12 & 13 from which

a B. Gum 12 in. dia. bears N 48 W 10 Yds. dist. &

a W. Oak 14 " " " S 81 E 8 " "

Land waving. Timber Oak, Hickory, Ash,  
Poplar &c.

North on the E. Boundary of Sec. 12

17.40 a B. Oak 30 in. dia.

40.00 set of sec. post from which

a W. Oak 30 in. dia. bears N 53 E 35 Yds. dist. &

a Ash 12 " " " S 45 W 35 " "

40.77 a W. Oak 30 " "

70.57 a Ash 38 " "

80.00 set post cor. of sec. 12 & 13 from which

a Poplar 8 in. dia. bears N 41 W 13 Yds. dist. &

a W. Oak 15 " " " S 73 E 16 " "

Land flat. Timber Oak, Hickory, Gum, Poplar,  
Elm &c.

North on the E. Boundary of Sec. 1

10.11 a W. Oak 22 in. dia.

40.00 set of sec. post from which

a B. Oak 28 in. dia. bears N 24 E 35 Yds. dist. &

a Beech 7 " " " S 20 W 4 " "

41.07 a W. Oak 20 " "

50.14 a Ash 18 " "

72.97 Intersect Indian Boundary, set post from wh.

a W. Oak 12 in. dia. bears North - Yds. dist. &

a Ash 14 " " " S 58 E - " "

Land level. Timber Oak, Hickory, Dogwood

Poplar, Beech &c. John Brownson, D. S.

*Chas. Dr.* T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

80.00 set part cor. of T. 10 & 11 N, R 12 E. from which  
a W. Oak 30 in. dia. bears N 15 E 25 Ws. dist 2  
a Do 36 " " " S 1 E 36 " "

### North Boundary.

Random line.

East on S. Boundary of Sec. 31, T 11 N, R 12 E

40.00 set temp. gr. sec. post

Level land, timber Beech, Poplar

55.00 a Brook 3 Ws. wide course NE

67.00 a Do 10 " " " N

80.00 set temp. post for sec. 31 & 32

Good Beech land. September 30. 1810

East on S. Boundary of Sec. 32, T 11 N, R 12 E

22.00 a Brook 3 Ws. wide course SE

40.00 set temp. gr. sec. post

47.00 a Brook 4 Ws. wide course NE

67.00 a creek 60 " " " N.

80.00 set temp. post for sec. 32 & 33

Hilly rough land, timber Oak, Dogwood &c.

East on S. Boundary of Sec. 33, T 11 N, R 12 E

40.00 set temp. gr. sec. post

80.00 set temp. post for sec. 33 & 34

Hilly Oak land.

East on S. Boundary of Sec. 34, T 11 N, R 12 E

3.00 a Brook 3 Ws. wide course SW

40.00 set temp. gr. sec. post

68.00 a Brook 4 Ws. wide course N.

72.00 a creek 100 " " " N.

80.00 set temp. post for sec. 34 & 35

First half level, last half hilly Oak land

East on S. Boundary of Sec. 35, T 11 N, R 12 E

T. 10 N., R. 12 E. L. Mer. Ind. a  
 Exp. 1st.

40.00 set temp. gr. sec. post  
 52.00 a Brook 4 lks. wide curve N.  
 77.50 a Do 5 " " " N.  
 80.00 set temp. post for sec. 35 & 36  
 Hilly Oak land.

East on S. Boundary of Sec. 36, T11 N, R12 E  
 40.00 set temp. gr. sec. post  
 57.00 a Brook 3 lks. wide curve N.  
 58.60 set a post - Hilly Oak land.

### Corrected Line.

West on the S. Boundary of Sec. 36, T11 N, R12 E  
 40.00 set gr. sec. post from which  
 a Hickory 10 in. dia. bears S13 E 15 lks. dist. &  
 a Sugar 12 " " " N17 E 35 " "  
 80.00 set post cor. of sec. 35 & 36 from which  
 a W. Oak 13 in. dia. bears N8 E 11 lks. dist. &  
 a Do 16 " " " S86 W 23 " "

West on the S. Boundary of Sec. 35, T11 N, R12 E  
 40.00 set gr. sec. post from which  
 a R. Oak 14 in. dia. bears S16 W 9 lks. dist. &  
 a Dogwood 5 " " " N37 W 7 " "  
 80.00 set post cor. of sec. 34 & 35 from which  
 a Beech 15 in. dia. bears N68 W 33 lks. dist. &  
 a W. Oak 10 " " " S81 E 44 " "

West on the S. Boundary of Sec. 34, T11 N, R12 E  
 40.00 set gr. sec. post from which  
 a Poplar 8 in. dia. bears N29 E 9 lks. dist. &  
 a Hickory 10 " " " S68 W 11 " "  
 80.00 set post cor. of sec. 33 & 34 from which  
 a gum 16 in. dia. bears N68 W 9 lks. dist. &  
 a Do 15 " " " S48 W 34 " "



T 10 N., R. 12 E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>Ch<sup>a</sup> & C<sup>a</sup>

West on the S. Boundary of Sec. 33, T 11 N. R 12 E

40.00 set gr. sec. post from which  
 a W. Oak 10 in. dia. bears S 11 W 22 1/2 krs. dist. &  
 a Hickory 10 " " " N 62 W 32 " "

80.00 set post cor. of sec. 32 & 33 from which  
 a W. Oak 3 1/4 in. dia. bears N 11 E 17 1/2 krs. dist. &  
 a Do 30 " " " S 44 W 15 " "

West on the S. Boundary of Sec. 32, T 11 N, R 12 E

40.00 set gr. sec. post from which  
 a Poplar 18 in. dia. bears S 75 W 17 1/2 krs. dist. &  
 a Do 24 " " " N 28 E 32 " "

80.00 set post cor. of sec. 31 & 32 from which  
 a Sugar 10 in. dia. bears S 55 E 36 1/2 krs. dist. &  
 a Blue Ash 6 " " " N 15 E 30 " "

West on the S. Boundary of Sec. 31, T 11 N, R 12 E.

40.00 set gr. sec. post from which  
 a Beech 18 in. dia. bears S 33 E 26 1/2 krs. dist. &  
 a W. Oak 40 " " " N 21 W 31 " "

58.60 set post cor. of T. 10 & 11 N, R. 11 & 12 E. from wh.  
 a Beech 18 in. dia. bears S 22 E 8 1/2 krs. dist. &  
 a Do 16 " " " N 58 W 43 " "  
 Oct. 4. 1810. Alexander Holmes  
 Deputy Surveyor.

West Boundary. Var. 5.00' E.

North on the E. Boundary of Sec. 36, T 10 N, R 11 E

10.42 a B. Oak 1 1/4 in. dia.

27.00 a Brook 20 krs. wide course S 20 W

40.00 set gr. sec. post from which  
 a Beech 15 in. dia. bears N 11 W 18 1/2 krs. dist. &  
 a Do 17 " " " S 22 E 9 " "

61.52 a Hickory 16 in. dia. A Watercourse 4 krs. wide, S 10 E

80.00 set post cor. of sec. 25 & 36 from which  
 a Beech 6 in. dia. bears N 28 E 3 1/2 krs. dist. &



T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Chr. Spr.

an Ash 9 in. dia. bears S 29 W 43 Yrs. dist.  
Land waiving. Timber Beech, Oak, Hickory,  
Ash, Poplar, Sugar

North on the E. Boundary of Sec. 25, T 10 N, R 11 E

26.64 a Beech 13 in. dia.

40.00 set of sec. post from which

a B. Oak 24 in. dia. bears S 5 E 23 Yrs. dist. &

a W. Oak 20 " " " N 27 E 5 " "

44.14 an Ash 13 " "

57.00 a Watercourse 8 Yrs. wide runs NW

80.00 set post cor. of sect. 24 & 25 from which

a Beech 14 in. dia. bears N 25 E 39 Yrs. dist. &

a Do 12 " " " S 10 W 7 " "

Land waiving. Timber Beech, Oak, Poplar, Sugar &c

North on the E. Boundary of Sec. 24, T 10 N, R 11 E

0.55 a Hickory 24 in. dia.

5.40 a Watercourse 8 Yrs. wide runs NW

6.44 a B. Oak 20 in. dia.

17.64 Struck Boundary, set post from which

a Poplar 17 in. dia. bears N 39 W 25 Yrs. dist. &

a Hickory 16 " " " S 36 E 24 " "

Land waiving. Timber Oak, Hickory, Beech, Sugar &c

Jan. 24. 1807. John Brownson, Dep. Surv.

Continued by Alex. Holmes. Var. 5.45. E.

September 29. 1810

17.90 crossed Boundary line

28.00 a Brook 3 Yrs. wide course W

39.00 a Do 3 " " " W

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 31 E 28 Yrs. dist. &

a Do 14 " " " N 42 W 30 " "

Beech land

45.00 a Brook 20 Yrs. wide course SW

54.75 a B. Oak 14 in. dia.

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Cr.

- 55.00 a Brook 20 Ws. wide course SE  
 57.00 a Do 20 " " " SW  
 78.00 loopt Do  
 80.00 a Hickory 10 in. dia. cor. of sec. 13 & 14 from wh.  
 a Sycamore 18 " " bears S 63 E 18 Ws. dist. 2  
 a Sugar 14 " " " N 37 W 28 " "  
 Wet bottom, Sprinkler Sugar, Elm, Beech

## North on the E. Boundary of Sec. 13, T 10 N., R 11 E

- 2.00 a Brook 20 Ws. wide course SE  
 20.50 a Do 4 " " " W  
 23.35 a W. Oak 36 in. dia.  
 40.00 set gr. sec. post from which  
 a gum 18 in. dia. bears N 76 W 17 Ws. dist. 2  
 a Beech 14 " " " S 82 E 32 " "  
 Good Beech land  
 45.00 a Brook 6 Ws. wide course W  
 65.00 a Do 3 " " " W  
 80.00 set post cor. of sec. 12 & 13 from which  
 a Beech 16 in. dia. bears N 56 W 17 Ws. dist. 4  
 a Do 6 " " " N 89 E 18 " "  
 Beech land.

## North on the E. Boundary of Sec. 12, T 10 N., R 11 E

- 13.00 a Brook 4 Ws. wide course W  
 18.00 a Do 4 " " " W  
 20.25 a Beech 18 in. dia.  
 40.00 set gr. sec. post from which  
 a Beech 12 in. dia. bears S 57 E 20 Ws. dist. 2  
 a Do 12 " " " N 15 W 19 " "  
 50.00 a Brook 3 Ws. wide course W  
 52.00 loopt Brook 20 Ws. wide course SW  
 67.00 Do Do 20 " " " SW  
 69.00 a Brook 10 Ws. wide course W  
 80.00 set post cor. of sec. 1 & 12 from which  
 a Beech 12 in. dia. bears West 16 Ws. dist. 2

*Ch. L. P.* T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Beech 18 in. dia. beam N 63 E 18 lks. dnt.  
Good Beech land

North on the E. Boundary of Sec. 1, T 10 N., R 11 E

21.00 a Brook 4 lks. wide course SW

40.00 set gr. sec. part from which

a Beech 6 in. dia. beam N 89 E 12 lks. dnt. S

a Do 12 " " " S 34 W 15 " "

51.00 a Brook 3 lks. wide course SE.

67.00 alumn 16 in. dia.

80.00 set part cor. of T. 10 & 11 N., R. 11 & 12 E.

Good level land. Timber Beech, Ash, Oak,  
Hickory &c. October 2, 1810

Alexander Holmes

Deputy Surveyor.

### Subdivision.

North between Sec. 35 & 36

40.00 set gr. sec. part from which

a Beech 10 in. dia. beam N 14 W 11 lks. dnt. S

alumn 8 " " " S 4 E 6 " "

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a Maple 10 in. dia. beam West 8 lks. dnt. S

a Beech 6 " " " N 20 E 9 " "

This mile level 3<sup>d</sup> rate. Timber Beech, Maple,  
Oak, Gum &c.

East on Random between Sec. 25 & 36

40.00 set temp. gr. sec. part

65.00 a Stream 10 lks. wide runs N.

80.00 Intersect E. Boundary 11 lks. S. of part -

This mile level. Timber Beech, Oak, Gum  
& Maple. 3<sup>d</sup> rate

West Corrected between Sec. 25 & 36

15.00 a Stream 10 lks. wide runs N.

T. 10 N., R. 12 E. S. 1 Mer. Ind. a

Ch. 10.

40.00 set q. sec. post from which  
a W. Ash 24 in. dia. bears S 70° W 8 1/2 m. dist. S  
a W. Oak 10 " " " N 60° E 35 " "  
80.00 to sec. cor.

North between Sec. 25 & 26

40.00 set q. sec. post from which  
a Beech 24 in. dia. bears S 74° W 10 1/2 m. dist. S  
a W. Ash 12 " " " N 50° E 35 " "

52.69 a Beech 18 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
a W. Ash 4 in. dia. bears S 10° W 24 1/2 m. dist. S  
a Gum 10 " " " N 78° W 38 " "  
Level land. Timber Oak, Beech

North between Sec. 34 & 35

17.80 a Maple 8 in. dia. in the line

40.00 set q. sec. post from which  
a Gum 12 in. dia. bears S 40° E 13 1/2 m. dist. S  
a Beech 8 " " " N 40° W 12 " "

80.00 set post cor. of sec. 28, 29, 33 & 34 from which  
a Gum 4 in. dia. bears stands for the corner.  
Land level. Timber Beech, Oak, Poplar,  
Gum. 3 rate.

East on Random between Sec. 26 & 35

40.00 set temp. q. sec. post

80.14 Intersect E. Boundary 12 1/2 m. S. of post

This mile level 3 rate. Timber Beech, Oak,  
Gum & Poplar. Soil cold, good meadow ground

West Corrected between Sec. 26 & 35

40.07 a Beech 8 in. dia. stands for q. sec. corner

80.14 to sec. cor.

North between Sec. 26 & 27

long?



T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

481

Ch. Lk.

40.00 set gr. sec. post from which  
a Dogwood 5 in. diam bears N 1/4 W 2 1/2 U. dnt &  
a Beech 10 " " " S 11 1/4 W 14 " "  
80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
a Beech 12 in. diam bears North 29 U. dnt &  
a Maple 4 " " " South 11 " "  
This mile level 3<sup>d</sup> rate. Timber Beech, Oak,  
Gum & Poplar. Many small frog ponds

North between Sec. 33 & 34

30.00 a Stream 12 U. wide runs NW

40.00 set gr. sec. post from which  
a W. Oak 12 in. diam bears S 40 E 13 U. dnt &  
a Beech 8 " " " N 40 W 12 " "  
80.00 set post cor. of sec. 27, 28, 33 & 34 (No Bearings)  
This mile some broken 3<sup>d</sup> rate. Timber Beech,  
Oak, Poplar, Gum. Open woods.

East on Random between Sec. 27 & 34

40.00 set temp. gr. sec. post  
80.13 Intersect N & S. line 14 U. N. of post -  
This mile level 3<sup>d</sup> rate. Timber Beech, Oak,  
Maple. Soil cold

West Corrected between Sec. 27 & 34

40.00 set gr. sec. post at aver. dnt. from which  
a Maple 8 in. diam bears West 4 U. dnt. &  
a Beech 10 " " " S 77 E 19 " "  
51.64 a Maple 18 " " in the line  
80.13 to sec. cor.

North between Sec. 27 & 28

12.50 a Stream 12 U. wide course SW

40.00 set gr. sec. post from which  
a Gum 8 in. diam bears South 5 U. dnt. &  
a Sugar 12 " " " N 50 W 32 " "



T. 10 N., R. 12 E. 2<sup>d</sup>. Mer. Ind.<sup>u</sup>  
 Ch. Ch.

80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
 a Poplar 10 in. dia. bears N 2 E 6<sup>1</sup>/<sub>2</sub> lks. dist. &  
 a W. Oak 8 " " " S 60 W 4 " "  
 This mile level. Timber Oak, Poplar, Beech,  
 Gum &c. 2<sup>d</sup> rate

---

North between Sec. 32 & 33

20.00 a Water course 6 lks. wide runs W.

30.00 a Stream 12 lks. wide runs W.

40.00 set q. sec. post from which  
 a Poplar 15 in. dia. bears N 71 E 36 lks. dist. &  
 a Sugar 8 " " " N 45 W 8 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 a W. Oak 36 in. dia. bears N 10 E 7 lks. dist. &  
 a Beech 10 " " " N 69 W 11 " "  
 Broken 3<sup>d</sup> rate. Timber Oak, Beech, Gum  
 & Poplar.

---

East or Random between Sec. 28 & 33

40.00 set temp. q. sec. post

80.00 Intersect N & S. line 40 lks. S. of post -

This mile broken 3<sup>d</sup> rate. Beech, Oak, Gum &c.

---

West Corrected between Sec. 28 & 33

12.00 a Stream 10 lks. wide runs SW

36.00 a Water course 6 lks. wide runs SW

40.00 set q. sec. post at aver. dist. from which  
 a Beech 14 in. dia. bears N 15 W 13 lks. dist. &  
 a W - 36 " " " S 20 E 10 " "

80.00 to sec. cor.

---

North between Sec. 28 & 29

40.00 set q. sec. post from which

a Beech 8 in. dia. bears North 4 lks. dist. &

a W. Oak 24 " " " West 23 " "

74.17 a Beech 12 " " in the line

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind. a.  
Ch. 2<sup>d</sup>

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
a W. Oak 14 in. dia. bears S 60 E 7<sup>1</sup>/<sub>2</sub> M. dist. 8  
a Beech 12 " " " N 30 W 29 " "

This mile level 2<sup>d</sup> rate, good farming land.  
Timber Beech, Oak

North between Sec. 31 & 32

40.00 set gr. sec. post from which

a Beech 4 in. dia. bears N 14 W 6 M. dist. 8

a Do 6 " " " South 2 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a Beech 10 in. dia. bears N 66 E 23 M. dist. 8

a W. Oak 24 " " " S 36 E 14 " "

This mile broken 3<sup>d</sup> rate. Timber Beech, Oak,  
Hickory, Poplar, Gum &c.

East on Random between Sec. 29 & 32

40.00 set temp. gr. sec. post

79.40 Intersect N. & S. line 3<sup>1</sup>/<sub>2</sub> M. S. of post -

This mile broken 3<sup>d</sup> rate. Beech, Oak &c.

West Corrected between Sec. 29 & 32

29.00 a Water course 8 M. wide runs S.

39.70 set gr. sec. post at aver. dist. from which

a W. Ash 10 in. dia. bears N 30 E 15 M. dist. 8

a W. Oak 16 " " " N 60 W 10 " "

79.40 to sec. cor.

West between Sec. 30 & 31

33.00 a Water course 6 M. wide runs SW

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 58 E 17 M. dist. 8

a Do 15 " " " S 16 E 16 " "

56.63 Intersect N. Boundary at post -

This mile broken 3<sup>d</sup> rate. Timber Beech, Oak,  
Poplar. Cold weather, made a fire to thaw ink.

T. 10 N., R. 12 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Cr.

North between Sec. 29 &amp; 30

40.00 set gr. sec. post from which

a Hickory 8 in. dia. bears S 33 E 3 1/2 M., dist. 8

a Beech 10 " " " N 81 W 23 " "

74.04 a Beech 14 " "

80.00 set post cor. of sec. 19, 20, 29 &amp; 30 from which

a Poplar 18 in. dia. bears S 12 W 16 M., dist. 8

a W — 28 " " " N 28 W 10 " "

This mile level. Timber Beech, Oak, Gum  
Open woods. 2<sup>d</sup> rate.

West between Sec. 19 &amp; 30

38.50 a Water course 8 M., wide runs SW.

40.00 set gr. sec. post from which

a Hickory 28 in. dia. bears S 10 W 55 M., dist. 8

a Beech 10 " " " South 19 " "

46.50 a Water course 8 M., wide runs NW.

56.00 Intersect N. Boundary 120 M., S. of post —

set post at intersection cor. of sec. 19 &amp; 30 from which

a Beech 10 in. dia. bears S 20 E 14 M., dist. 8

a Do 24 " " " N 48 W 31 " "

This mile level. Beech, Oak, Poplar

North between Sec. 19 &amp; 20

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears S 30 W 10 M., dist. 8

a Do 16 " " " S 84 E 30 " "

55.46 to the New Indian Boundary line, where

a W. Oak 60 in. dia. stands corner tree.

This mile level 2<sup>d</sup> rate. Timber Beech, Oak,  
Hickory, Gum &c

East in Random between Sec. 20 &amp; 29

40.00 set temp. gr. sec. post

79.59 Intersect N. &amp; S. line 10 M., N. of post —

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. 10.

East in Random between Sec. 21 & 28

40.00 set temp. gr. sec. post

80.00 Intersect N & S. line 300 yds. N. of post -

East in Random between Sec. 22 & 27

40.00 set temp. gr. sec. post

81.00 Intersect N & S. line 200 yds. S. of post -

East in Random between Sec. 23 & 26

40.00 set temp. gr. sec. post

79.50 Intersect N & S. line 211 yds. S. of post -

East in Random between Sec. 24 & 25

40.00 set temp. gr. sec. post

81.40 Intersect E. Boundary 244 yds. S. of post -

West Connected between Sec. 24 & 25

40.70 set gr. sec. post at aver. dist. from which

a Hickory 8 in. dia. bears N 20° W 28 yds. dist.

a Do 10 " " " S 16° E 23 " "

81.40 to cor. of sec. 23, 24, 25 & 26

This mile level 3<sup>rd</sup> rate. Timber Beech,  
Oak, Poplar, Gum &c.

North between Sec. 23 & 24

40.00 set gr. sec. post from which

a W. Oak 6 in. dia. bears North 44 yds. dist.

a Beech 10 " " " S 11° W 9 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a W. Oak 3 in. dia. bears South 17 yds. dist.

a Maple 3 " " " North 7 " "

Level land, timber Beech &c.

East in Random between Sec. 13 & 24

40.00 set temp. gr. sec. post

81.15 Intersect E. Boundary 175 yds. S. of post -



T. 10 N., R. 12 E. 2<sup>d</sup>. Mer. Ind. Co.  
Chas. Sp.

This mile level 3<sup>d</sup> rate. Beech, Oak, Gum &c

West Corrected between Sec. 13 & 14

40.57 set of sec. port at aver. dist. from which  
a W. Oak 16 in. dia. bears S 78 E 21 1/2 M. dist. 1/2  
a Dogwood 3 " " N 80 W 18 " "  
81.15 to sec. cor.

North between Sec. 13 & 14

40.00 set of sec. port from which  
a Dogwood 3 in. dia. bears North 4 M. dist.  
(No other Bearing tree)  
50.25 a Stream 12 M. wide runs SN  
80.00 set port cor. of sec. 11, 12, 13 & 14 from which  
a Beech 10 in. dia. bears S 70 W 28 M. dist. 1/2  
a Gum 4 " " N 70 E 18 " "  
This mile some broken 3<sup>d</sup> rate. Timber Beech,  
Oak, Gum &c

West Corrected between Sec. 23 & 20

39.75 set of sec. port at aver. dist. from which  
a forked Beech 8 in. dia. stands for the port  
45.00 a Stream 12 M. wide runs S.  
79.50 to cor. of sec. 22, 23, 20 & 27  
This mile level 3<sup>d</sup> rate. Beech, Oak, Gum &c

North between Sec. 22 & 23

40.00 set of sec. port from which  
a Hickory 8 in. dia. bears S 50 E 13 M. dist. 1/2  
a Gum 6 " " N 22 E 13 " "  
80.00 set port cor. of sec. 14, 15, 22 & 23 from which  
a Dogwood 4 in. dia. bears N 40 E 8 M. dist. 1/2  
a Do 4 " " N 70 W 18 " "  
Level 3<sup>d</sup> rate. Beech, Oak, Gum &c

East on Random between Sec. 14 & 23



487

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. Sk.

40.00 set temp. of sec. post

80.00 Intersect N & S. line at post -

This mile level 3<sup>d</sup> rate. Oak, Beech, Gum &c.

---

West Corrected between Sec. 14 & 23

40.00 set of sec. post at aver. dist. from which

a W. Ash 6 in. dia. bears South 19 Ws. dist. 8

a Poplar 6 " " " N 10 E 23 " "

70.50 a Stream 12 Ws. wide runs NW

80.00 to sec. cor.

---

North between Sec. 14 & 15

7.75 a Stream 25 Ws. wide runs NW

40.00 set of sec. post from which

a Hickory 12 in. dia. bears South 10 Ws. dist. 8

a Dogwood 4 " " " North 20 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 12 in. dia. bears N 45 W 12 Ws. dist. 8

a Do 8 " " " N 30 E 35 " "

Land some broken 3<sup>d</sup> rate. Oak, Beech, Gum &c.

---

North between Sec. 10 & 11

40.00 set of sec. post from which

a Poplar 18 in. dia. bears N 71 E 42 Ws. dist.

(No other Bearing tree)

47.10 to the New Indian Boundary line, set post  
from which

a Beech 12 in. dia. bears S 34 W 15 Ws. dist. 8

an Elm 12 " " " N 15 W 10 " "

This mile broken 3<sup>d</sup> rate. Limber Oak,  
Beech, Gum &c.

---

West between Sec. 10 & 15

25.00 a Stream 25 Ws. wide runs North.

Fine building stone

40.00 set of sec. post from which

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Elev. 601

a W. Oak 60 in. dia. bears N 60 E 12 Ws. dist. 8  
a Gum 16 " " " S 22 E 15 " "  
72.00 a Water course 6 Ws. wide course N E  
77.73 to the New Indian Boundary line, set post  
from which  
a Dogwood 4 in. dia. bears S 30 E 10 Ws. dist. 8  
a Hickory 12 " " " N 72 W 31 " "  
Beech, Oak, Gum

---

West Corrected between Sec. 22 & 27  
40.50 set of sec. post at aver. dist. from which  
a W. Oak 60 in. dia. bears N 40 E 16 Ws. dist. 8  
a Hickory 10 " " " S 69 W 17 " "  
81.00 to cor. of sec. 21, 22, 27 & 28  
This mile level 3<sup>d</sup> rate, Beech, Oak, Gum &c.

---

North between Sec. 21 & 22  
40.00 set of sec. post from which  
a Gum 16 in. dia. bears N 20 W 7 Ws. dist. 8  
a Beech 8 " " " S 30 E 13 " "  
80.00 set post cor. of sec. 15, 16, 21 & 22 from which  
a Beech 28 in. dia. bears S 46 W 20 Ws. dist. 8  
a W. Oak 12 " " " North 11 " "  
Level 2<sup>d</sup> rate, Timber Beech, Oak

---

East on Random between Sec. 15 & 22  
40.00 set temp. of sec. post  
81.00 Intersect N & E. line at post  
Level, Beech, Oak, Gum &c. 3<sup>d</sup> rate

---

West Corrected between Sec. 15 & 22  
40.50 set of sec. post at aver. dist. from which  
a W. Ash 18 in. dia. bears S 29 W 5 Ws. dist. 8  
a Hickory 12 " " " N 20 W 23 " "  
44.00 a Water course 8 Ws. wide runs N 28 E  
65.00 a Do 6 " " " N E

489

T. 10 N., R. 12 E., T. 2 Mer. Ind. a

Chs. Sk?

81.00 to sec. cor.

---

North between Secs. 15 & 16

40.00 set of sec. post from which  
a Maple 14 in. dia. bears N 40° W 9 1/2 M. dist. 3  
a W. Oak 6 " " " East 70 " "

79.70 to the New Indian Boundary line, set post  
from which

a W. Oak 18 in. dia. bears S 39° W 7 1/2 M. dist. 3

a B. Oak 28 " " " N 20° E 17 " "

This mile level. Timber Beech, Oak, Gum &c.

---

West Corrected between Secs. 21 & 28

40.00 set of sec. post at aver. dist. from which  
a Gum 8 in. dia. bears North 17 M. dist. 4  
a Hickory 18 " " " S 40° W 18 " "

80.00 to cor. of secs. 20, 21, 28 & 29

This mile level. Timber Beech, Oak

---

North between Secs. 20 & 21

40.00 set of sec. post from which  
a Gum 15 in. dia. bears S 70° W 15 M. dist. 3  
a Poplar 12 " " " S 60° E 18 " "

62.00 a Water course 8 M. wide course W.

80.00 set post cor. of secs. 16, 17, 20 & 21 from which

a W. Oak 36 in. dia. bears S 70° E 10 M. dist. 3

a Do 18 " " " N 28° W 33 " "

This mile level 3/4 rate. Beech, Oak &c.

---

East on Random between Secs. 16 & 21

40.00 set temp. of sec. post

80.12 Intersect N & S line 40 M. N. of post —

This mile level 3/4 rate. Beech, Oak, Gum &c.

---

West Corrected between Secs. 16 & 21

40.06 set of sec. post at aver. dist. from which

490

T. 10 N., R. 12 E., T. 36 S. Mer. Ind. a

Ch. Sp.

a Hickory 16 in. dia. bears S 15 E 21 Vks. dist. 8  
 a Do 10 " " " N 68 E 18 " "  
 80.12 to sec. cor.

North between Sec. 16 & 17

27.43 to the New Indian Boundary line, set post  
 from which

a W. Oak 18 in. dia. bears N 20 W 10 Vks. dist. 8  
 a Beech 10 " " " S 39 W 26 " "  
 Level 3 rate. Timber Beech, Oak, Gum &c.

West between Sec. 17 & 20

40.00 set of sec. post from which

a W. Oak 24 in. dia. bears S 30 W 48 Vks. dist. 4  
 a Do 22 " " " East 13 " "

40.50 crossed a Water course 6 Vks. wide runs NW

41.33 to the New Indian Boundary line, set post  
 from which

a Beech 6 in. dia. bears South 8 Vks. dist. 8  
 a Do 12 " " " N 72 E 33 " "  
 Level 3 rate. Timber Beech, Oak &c.

East in Random between Sec. 12 & 13

40.00 set temp. of sec. post

80.85 Intersect E. Boundary at post -

Level <sup>3 rate</sup> land. Timber Beech, Oak, Gum & Maple

West Corrected between Sec. 12 & 13

40.42 set of sec. post at aver. dist. from which

a Hickory 14 in. dia. bears South 8 Vks. dist. 8  
 a Do 15 " " " N 5 E 22 " "

74.17 a Beech 18 " " in the line

80.85 to sec. cor. Soil cold, good meadow land.

West in Random between Sec. 11 & 14

40.00 set temp. of sec. post



491

T. 10 N., R. 12 E., 2. Mer. Ind. a

Chas. E. H.

80.00 Intersect N. & S. line 150 Yds. N. of post -  
(Description of land &c. omitted)

---

East Connected between Sec. 11 & 14

40.00 set g. sec. post at aver. dist. from which  
a W. Oak 10 in. dia. bears S 80° W 11 Yds. dist. &  
a Dogwood 4 " " N 30° E 6 " "  
80.00 to sec. cor.

---

North between Sec. 11 & 12

30.50 a Stream 10 Yds. wide runs W.

40.00 set g. sec. post from which  
a W. Oak 10 in. dia. bears S 10° W 17 Yds. dist. &  
a Do 12 " " " S 11° E 16 " "

74.00 a Water course 8 Yds. wide runs W.

80.00 set post cor. of Sec. 1, 2, 11 & 12 from which  
a W. Oak 18 in. dia. bears S 15° E 18 Yds. dist. &  
a Poplar 36 " " " N 80° W 28 " "  
This mile broken 3 rate. Oak, Hickory

---

North between Sec. 1 & 2

20.44 to the New Indian Boundary line, set post  
from which  
a Beech 4 in. dia. bears S 20° E 18 Yds. dist. &  
a Maple 12 " " " West 35 " "  
Land &c. similar to the preceding mile

---

West between Sec. 2 & 11

25.50 a Water course 8 Yds. wide runs S.

31.70 to the New Indian Boundary line, set post  
from which  
a gum 10 in. dia. bears S 55° W 4 Yds. dist. &  
(No other Bearing tree)  
Broken 3 rate. Beech, Oak, Hickory, Gum  
& Briers.

---



492

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. E. K.

East in Random between Sec. 10 & 12

40.00 set temp. of sec. post

81.50 Intersect E. Boundary 17 1/2 M. N. of post -  
Land level. Beech, Oak, Poplar, Hickory, Gum

West Corrected between Sec. 10 & 12

12.00 a Water course 6 M. wide runs S.

40.75 set of sec. post at aver. dist. from which  
a B. Oak 24 in. dia. leans N 30 E 7 M. dist.  
(No other Bearing tree)

81.50 to sec. cor.

Stephen Ludlow  
Deputy Surveyor.

November 21. 1810. Commenced the survey  
of T. 10 N., R. 12 E. at corner of sec. 1, 2, 11 & 12

North between Sec. 1 & 2

20.50 crossed Indian Boundary line

33.80 a Poplar 31 in. dia.

40.00 set of sec. post from which

a Dogwood 6 in. dia. leans S 28 W 10 M. dist. &

a Maple 18 " " " N 18 E 21 " "

48.10 a W. Oak 24 " "

75.73 Intersect N. Boundary 290 M. W. of Holmes cor.

set post at intersection cor. of sec. 1 & 2 from which

a W. Oak 30 in. dia. leans N 56 W 31 M. dist. &

a Hickory 12 " " " S 72 E 31 " "

Over thin land. Timber Oak, Hickory, Poplar

North between Sec. 10 & 11

40.00 set of sec. post for old of sec. cor.

47.00 crossed Boundary line

75.75 a Water course 20 M. wide runs W.

76.10 a Sugar 18 in. dia. in the line

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Sugar 10 in. dia. leans N 60 E 7 M. dist. &

493

T. 10 N., R. 12 E., S. 1 Mer. Ind.<sup>a</sup>  
Ch. 11<sup>a</sup>

a Sugar 15 in. dia. bears S 15 E 36 Ws. dint.  
Over hilly 3<sup>rd</sup> rate land. Timber Oak, Hickory  
& Poplar

---

East between Sec. 2 & 11

9.20 a Hickory 15 in. dia. in the line  
40.00 set of sec. post from which  
a Poplar 40 in. dia. bears S 77 W 10 Ws. dint &  
a Do 12 " " " S 54 E 27 " "  
51.00 Intersect Boundary line, set post from which  
a Hickory 12 in. dia. bears N 30 E 23 Ws. dint &  
a gum 6 " " " S 53 E 3 " "  
Over hilly land. Timber Oak & Hickory

---

North between Sec. 2 & 3

10.00 a Water course 25 Ws. wide runs NE  
40.00 set of sec. post from which  
a B. Oak 8 in. dia. bears N 70 E 14 Ws. dint &  
a gum 12 " " " S 70 W 6 " "  
52.25 a Water course 8 Ws. wide runs E  
75.45 Intersect N. Boundary 370 Ws. W. of post -  
a B. Oak 14 in. dia. stands cor. of sec. 2 & 3  
Land 3<sup>rd</sup> rate

---

North between Sec. 15 & 16

39.85 an old of sec. post  
78.76 Boundary line  
80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
a gum 10 in. dia. bears N 20 W 33 Ws. dint &  
a Poplar 8 " " " N 9 E 8 " "

---

East between Sec. 10 & 15

1.95 Intersect Boundary line, set post from which  
a gum 12 in. dia. bears S 25 E 21 Ws. dint &  
a forked Beech 10 " " " S 78 W 17 " "

---

494

T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. & K.

North between Sec. 9 & 10

21.55 a Poplar 30 in. dia. in the line

27.00 a Water course 15 lks. wide runs N 75° W

40.00 set gr. sec. post from which

a Beech 15 in. dia. bears S 26° E 8 lks. dist. &

a Do 20 " " " S 47° W 33 " "

75.80 a W. Oak 24 " " in the line

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

algun 8 in. dia. bears N 73° E 10 lks. dist. &

a Maple 12 " " " S 14° W 2 " "

Over broken 3<sup>d</sup> rate land. Timber Oak,  
Beech, Poplar

East on Random between Sec. 3 & 10

40.00 set temp. gr. sec. post

74.00 crossed a Water course 28 lks. wide runs NE

80.20 Intersect N. S. line 5<sup>00</sup> lks. E. of post -

Over hilly 3<sup>d</sup> rate land. Timber Oak, Beech,  
Hickory & Poplar

West Connected between Sec. 3 & 10

40.10 set gr. sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 12° E 33 lks. dist. &

a Do 12 " " " N 36° E 21 " "

80.20 to sec. cor.

North between Sec. 3 & 4

4.00 a W. Oak 20 in. dia.

25.00 a Water course 12 lks. wide runs N 75° W

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 9° W 23 lks. dist. &

a W. Oak 15 " " " S 79° E 13 " "

80.55 Intersect N. Boundary 524 lks. W. of post -

Set post at intersection cor. of sec. 3 & 4 from wh.

a Poplar 20 in. dia. bears N 32° E 5 lks. dist. &

a Beech 15 " " " S 15° E 18 " "

495

T. W. N., R. 12 E. 2. Mer. Ind. <sup>495</sup>  
Ch. 10?

Over hilly 3<sup>rd</sup> rate land. Timber Oak, Beech,  
Hickory, Poplar

---

North between Sec. 16 & 17

27.20 came to Boundary line

39.15 a W. Oak 24 in. dia. in the line

40.00 set of sec. post from which

a Hickory 20 in. dia. bears N 59° W 11 Ws. dist 8

a Beech 14 " " " N 11 E 29 " "

57.50 a W. Oak 30 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

algum 10 in. dia. bears N 45 E 26 Ws. dist 8

a Beech 8 " " " S 59° W 25 " "

Over level thin land. Timber Oak,  
Beech, Hickory & Gum

---

East on Raudem between Sec. 9 & 16

24.50 a Water course 15 Ws. wide runs N.

40.00 set temp. of sec. post

79.74 Intersect N. & S. line 23 Ws. N. of post -

Over broken 3<sup>rd</sup> rate land. Timber Oak,  
Beech, Gum, Poplar

---

West Corrected between Sec. 9 & 16

39.87 set of sec. post at avor. dist. from which

algum 15 in. dia. bears S 88° W 40 Ws. dist 8

a W. Oak 36 " " " N 36 E 23 " "

79.74 to sec. cor.

---

North between Sec. 8 & 9

22.40 a Poplar 30 in. dia. in the line

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 28 E 13 Ws. dist 8

a Do 18 " " " S 66° W 21 " "

46.25 algum 14 " " in the line

77.00 a Water course 20 Ws. wide runs NE



496

T. 10 N., R. 12 E. 2. Mer. Ind.<sup>a</sup>

Ch. 18<sup>1</sup>

80.00 set post cor. of sec. 4, 5, 8 & 9 from which  
a W. Oak 20 in. dia. bears S 70° E 29 yds. dit. &  
a Do 18 " " " N 50° 35 " "  
Over easy changing surface, soil poor,  
timber Oak, Beech, Poplar

East on Random between Sec. 4 & 9

15.00 a Water course 15 yds. wide runs NW

40.00 set temp. gr. sec. post

79.60 Intersect N. G. line 15 yds. E. of post

Over hilly 3<sup>rd</sup> rate land. Timber Oak,  
Beech & Poplar

West Corrected between Sec. 4 & 9

39.80 set gr. sec. post at aver. dit. from which  
a W. Ash 10 in. dia. bears S 37° E 31 yds. dit. &  
an Elm 6 " " " N 41° E 42 " "

79.00 to sec. cor.

North between Sec. 4 & 5

24.55 a W. Oak 15 in. dia. in the line

40.00 set gr. sec. post from which

a W. Ash 12 in. dia. bears N 22° E 31 yds. dit. &  
a W. Oak 50 " " " N 38° W 33 " "

58.30 a W. Oak 24 " " in the line

80.75 Intersect N. Boundary 514 yds. W. of Holmes' cor.

set post at intersection cor. of sec. 4 & 5 from which

an Elm 8 in. dia. bears S 89° E 16 yds. dit. &  
a Beech 8 " " " N 83° E 16 " "

Over hilly 3<sup>rd</sup> rate land. Timber Oak, Hick-  
ory, Beech & Poplar

North between Sec. 19 & 20

39.70 old gr. sec. post

59.92 a W. Oak 48 in. dia. in the Boundary line

62.00 a Do 10 " " in the line

T. W. N., R. 12 E., T. 2 S., Mer. Ind. a  
Ch. L. R.

80.00 at post cor. of sec. 17, 18, 19 & 20 from which  
a Beech 10 in. dia. bears S 20° W 12 lbs. dist 8  
a Hickory 18 " " N 35° W 9 " "  
This mile level 2<sup>d</sup> rate land. Timber Oak,  
Hickory, Beech &c.

East between Sec. 17 & 20

11.60 a Water course 14 lbs. wide runs N 70° W

22.52 a Poplar 24 in. dia. in the line

30.00 a Water course 20 lbs. wide to the right of the  
line 10 lbs. wide

35.50 Water course forks, one comes from N 50° E  
the other from S 80° E.

38.50 came to Boundary line at post from which  
a Beech 14 in. dia. bears N 25° E 15 lbs. dist 8  
a W. Oak 18 " " S 42° W 27 " "  
This line over 2<sup>d</sup> rate land. Timber Beech,  
Oak, Hickory, Poplar.

West between Sec. 18 & 19

12.65 a Beech 12 in. dia. in the line

27.50 a Water course 28 lbs. wide runs S 40° W

40.00 at cor. sec. post from which

a Beech 16 in. dia. bears N 13° W 6 lbs. dist 8

a Do 18 " " S 13° E 49 " "

53.75 a Water course 18 lbs. wide runs S 20° W

55.25 Intersect W. Boundary 12 lbs. E. of Holmes' cor. -

at post at intersection cor. of sec. 18 & 19 from wh.

a Hickory 14 in. dia. bears North 11 lbs. dist 8

an Elm 12 " " N 45° W 10 " "

This mile 2<sup>d</sup> rate land. Timber Oak,  
Beech, Poplar &c.

North between Sec. 17 & 18

4.00 a Water course 12 lbs. wide runs W.

10.31 a B. Oak 26 in. dia. in the line

## T. 10 N., R. 12 E., S. 1 Mer. Ind.?

Ch. 1. Ch. 1.

28.05 a Water course 600 ft. wide runs S 38° W

39.40 a Do 5 " " " S 48° W

40.00 set gr. sec. post from which

a Beech 20 in. dia. bears N 34° W 70 ft. dist &amp;

a W. Oak 20 " " " S 88° E 34 " "

64.12 a Poplar 30 " " in the line

80.00 set post cor. of sec. 7, 8, 17 &amp; 18 from which

a Beech 12 in. dia. bears N 53° W 18 ft. dist &amp;

a Do 10 " " " S 6° W 29 " "

Over level 2 rate land. Timber Oak,  
Beech, Poplar

## West between Sec. 7 &amp; 18

15.72 a Beech 17 in. dia. in the line

40.00 set gr. sec. post from which

a Beech 14 in. dia. bears N 22° E 12 ft. dist &amp;

a Do 10 " " " S 64° W 38 " "

47.15 a Beech 9 " " in the line

55.10 Intersect W. Boundary 53 ft. N. of Holmes's cor.

set post at intersection cor. of sec. 7 &amp; 18 from which

a Beech 18 in. dia. bears S 37° E 28 ft. dist &amp;

a Do 6 " " " N 43° E 12 " "

This mile level 2 rate land. Timber Beech,  
Poplar, Ash &c.

## East on Random between Sec. 8 &amp; 17

40.00 set temp. gr. sec. post

78.25 Intersect N. &amp; S. line 143 ft. N. of post -

This mile level 2 rate land. Timber Oak,  
Beech, Poplar

## West Corrected between Sec. 8 &amp; 17

39.12 set gr. sec. post at aver. dist. from which

a Hickory 20 in. dia. bears S 45° W 30 ft. dist &amp;

marked the same on four sides corner to sec.

7, 8, 17, &amp; 18

499

T. 10 N., R. 12 E. 2d Mer. Ind.<sup>a</sup>

Ch. & Co.

78.25 to sec. cor.

---

North between Sec. 7 & 8

24.00 a Maple 28 in. dia. in the line

40.00 a Hickory 13 " " gr. sec. corner

48.50 a Water course 5 hrs. wide runs W.

77.25 a Poplar 30 in. dia. in the line

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 10 in. dia. bears S 26° W 25 hrs. dist &

a Do 5 " " " S 52° W 5 " "

Over level 2<sup>nd</sup> rate land. Timber Oak, Hickory,  
Beech, Poplar &c.

---

West between Sec. 6 & 7

10.77 a W. Oak 30 in. dia. in the line

16.50 a Water course 5 hrs. wide runs N 70° W

24.60 same Water course runs S 45° W

31.22 a Poplar 30 in. dia. in the line

40.00 a Beech 15 " " gr. sec. corner

50.00 a Water course 10 hrs. wide runs S.

55.10 Intersect W. Boundary 70 hrs. N. of Holmes' cor. -

set post at intersection cor. of sec. 6 & 7 from which

a W. Ash 19 in. dia. bears N 10° W 16 hrs. dist &

a Beech 10 " " " S 72° W 23 " "

This mile 2<sup>nd</sup> rate land. Timber Beech, Ash,  
Poplar &c.

---

East on Random between Sec. 5 & 8

9.47 a Water course 3 hrs. wide runs S 65° E

40.00 set temp. gr. sec. post

78.68 Intersect N. & S. line 152 hrs. N. of post -

This mile over small easy hills. Timber  
Oak, Poplar, Beech &c. 2<sup>nd</sup> rate land.

---

West Corrected between Sec. 5 & 8

39.34 set gr. sec. post at aver. dist. from which



T. 10 N., R. 12 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. &amp; Cr.

a W. Oak 34 in. dia. bears South 2 Ws. dist. -  
mark the same on four sides for corner.  
78.68 to sec. cor.

## North between Sec. 5 &amp; 6

15.20 a W. Oak 21 in. dia. in the line

40.00 at gr. sec. post from which

a Hickory 16 in. dia. bears S 4 E 33 Ws. dist. 2

a Maple 20 " " " N 22 E 10 " "

55.97 a Poplar 32 " " in the line

58.00 a Water course 6 Ws. wide runs N 36 E

79.00 a Do 8 " " " E

79.25 a Beech 14 in. dia. stands for corner of Sec. 5 & 6  
in N. Boundary, from which  
a Sugar 32 in. dia. bears S 34 E - Ws. dist. 2  
a W. Oak 15 " " " N 84 W 13 " "  
fell 38 3/4 Ws. W. of Mr. Holmes' post.

This mile over easy ridges, 2<sup>d</sup> rate land.

Timber Oak, Hickory, Poplar &amp;c.

November 25. 1840 William Ludlow

Deputy Surveyor.

I certify that the foregoing transcript  
of Field notes of the survey of Township N. 10  
North, of Range N. 12 East of the 2<sup>d</sup> Prin-  
cipal Meridian in the State of Indiana  
has been compared with the original in  
file in this office, and found to be correct.  
Surveyor General's Office,  
Cincinnati, April 12. 1845

William Johnston  
Sur. Genl.